



# Cold Room Monitoring

Use wired MODBUS temperature and humidity sensors or wireless Bluetooth versions.

Interface to your fridge controller with the RS232 or RS485 inputs.

Monitor doors with a magnetic reed switch connected to an input.

Monitor the location of mobile facilities with the inbuilt GPS.

Monitor and protect your product, wherever you are. Receive email and SMS alerts while you still have time to act.

Maintain a record of temperature and humidity compliance.

Monitor when freezer doors are opened and for how long.

Send data to your preferred dashboard directly with no ongoing costs.



### Why Senquip?



#### Connect to Anything

Interface to any engine, controller, or sensor, no matter the brand, physical interface, or protocol.



#### Process Everything

Edge process measured data, create custom alerts, and control connected systems.



#### Send Anywhere

Send data to the Senquip Portal or any other server. No ongoing costs, no lock in contacts.



## Trusted **Everywhere**

Designed for use in harsh industrial, mining, and agricultural environments.




#### Senguip ORB

For extreme environments where IP ratings are essential and external antennas may be damaged. Typically mounted on poles, walls, and externally on machines



#### Senquip QUAD

For harsh environments where external antennas are a benefit. Typically found in electrical cabinets, in operator cabs, and mounted externally on machines.



#### Senquip Portal

The Senquip Portal is a secure cloud solution that offers a no-cost or low-cost device management and data hosting + analytics solution for Senquip devices.

